
# ADERA BCAT-801 BIOMETRIC CONTACTLESS ATTENDANCE & TEMPERATURE SYSTEM + FACIAL RECOGINITION

In these unprecedented times, keep your employees and facilities safe with ADERA's biometric contactless digital attendance and temperature system.Due to the present Covid-19 pandemic situation, there is a critical need to provide temperature taking and safe distancing measures. Companies and facilities have limited their number of staff entry points and imposed temperature taking measures.

Powered by face recognition, automate your attendance, temperature taking and SafeEntry digitally in a hygienic and efficient way, with no backend infrastructure required. Standalone device or network-based available.



#### **Benefits**



# ADERA BCAT-801

BIOMETRIC CONTACTLESS ATTENDANCE & TEMPERATURE SYSTEM + FACIAL RECOGINITION

## Catered to your business needs

Available as a standalone device connected to one adminstrative PC or opt for a central server management of multiple devices.

	BCAT800	BCAT800N	BCAT801	BCAT801N
Face recognition Temperature taking E-attendance Email alerts Batch loading One-by-one enrolment Contactless staff ID card Support SafeEntry via QR code	~	~	~	~
SafeEntry via NRIC Barcode scanning	-	-	$\checkmark$	$\sim$
Standalone management - 1 admin PC to 1 device	$\checkmark$	_	~	_
<ul> <li>Central server management</li> <li>Multiple devices</li> <li>User data loaded to multiple devices at one go</li> <li>Extract attendance logs from multiple devices at one go</li> </ul>	_	~	_	~



# Easy Set-up

- Standalone Android device mounted at entrance of office/guard house
- Android device can be wall mounted or placed on a stand.
- Connectivity between administrative PC and Android Device: LAN or Wifi

### **Enrollment Requirements**

PHOTO REQUIREMENT Batch csv file format with photos of registrants. Resolution: 100x100px to 640x480px File size: Up to 200KB File type: jpg/bmp/jpeg/pngentry points and imposed temperature taking measures.

## Attendance Logs

RETRIEVABLE AS CSV FILES - Staff ID, Staff Name, Date, Time, Pass/Fail, Temperature reading, entry location.

# **ADERA BCAT-801** BIOMETRIC CONTACTLESS ATTENDANCE & TEMPERATURE SYSTEM + FACIAL RECOGINITION

#### **Specifications**

**Camera** Resolution Type Focusing distance White balance Photo flood light

#### Screen

Size Touch Resolution

Processor CPU RAM Storage OS

**Interface** Network module Audio Serial communication USB

Wiegand Wired Network

Face Detection Face detection Face library 2 million pixels Binocular wide dynamic camera 50 - 150cm Auto LED and IR dual photo light

8.0 inch IPS LCD Not supported 800 x 1280

RK3288 Quad-core DDR4 2G EMMC 8G Android 7.1

Ethernet and wireless (WIFI) 2.5W / 4R speakers 1 RS232 serial port 1 USB OTG, 1 USB Host standard A port 1 door open signal output 1 RJ45 Ethernet Socket

Supported up to 20,000



Face Recognition 1:N face recognition 1:N face comparison

Supported Supported

#### Temperature Sensing

Measurement Optimal distance

Sensing accuracy Sensing range Thermal field of view Abnormal temperature indicator Supported 1m (optimal0.6m)  $\leq \pm 0.3^{\circ}$ C 10^{\circ}C ~ 42^{\circ}C 32 x 32^{\circ}C Supported (customizable threshold)



Product features, specifications and appearances are subject to change without notice. Copyright © 2021 All ID Asia - All rights reserved

Singapore (HQ) All ID Asia Pte Ltd +65-6778-0075 enquiry@allid.com.sg www.allid.com.sg

Malaysia All ID Asia Sdn Bhd +603-8075-1888 enquiry@allid.com.my www.allid.com.my Indonesia PT All ID Indonesia +62 21-4517-330 enquiry@allid.co.id www.allid.co.id Myanmar All ID Myanmar +951-652265 enquiry@allid.com.mm www.allid.com.mm Philippines

All ID Philippines +632 224 2042 enquiry@allid.com.ph www.allid.com.ph